

Boldface numbers indicate term is boldfaced on that page; *CO* indicates a Concept Organizer; *MP* indicates a Model Problem; *ML* indicates a Multi-Lab; *QL* indicates a Quick Lab; and *inv* indicates an investigation.

- AC generator, 789–791, **790**
Acceleration, 31, **35**, **61**, 76, 82
 average, 64, 66*CO*
 centripetal, 551–553
 constant, 64, 66*CO*
 direction of, 75*ML*
 dynamics, 166–167*MP*
 force, 164*inv*
 graphing, 65*QL*
 gravity, due to, 68–69*inv*, 82
 instantaneous, 64, 66*CO*
 negative, 62
 non-uniform, 64, 66*CO*
 simple harmonic motion, 616*inv*, 618
 uniform, 62, 66*CO*
Acceleration due to gravity, 68–69*inv*, 82, 83*inv*, 84–89*MP*, **132**, 248, 479
 measuring, 612*QL*
Acceleration vector and direction, 61–63
Action at a distance, **643**
Adams, John Couch, 594
Air friction, 187
 centripetal force, 563
Air resistance, **187**
Alpha decay, 907
Alpha particles, **906**, 908
Alpha rays, 867
Alternator, **792**
Ammeter, **702**
Ampere, 694
 defined, 773
Ampere, Andre Marie, 773, 774–775, 781
Amplitude, **290**, **338**, **378**
 wave, 347–349*MP*
Amplitude modulation, 807
Angle of incidence, **364**
Angle of reflection, **364**
Angle of refraction, **398**, 404–405*MP*
Angular momentum, 878
Angular momentum quantum number, 881
Anode, **689**
Antielectron, 909
Antimatter, 909
Antineutrino, **909**
Antinodal line, **370**
Antinodes, **356**
Antiparticles, 879
Apollo spacecraft, 177, 572, 586
Apparent weight, 184–185*MP*, **186**
 mass, 184
Archimedes, 383
Aristotle, 6, 9, 127, 132, 133, 154
 motion, 7
Armature, **778**
At rest, **30**
Atom, 864
 billiard ball model, 866
 Bohr model of, 870
 ground state, 884
 laser, 885
 metastable state, 885
 nuclear model, 868
 quantum mechanical, 877
 representing, 899
Atomic mass number, **899**
Atomic mass unit, **903**
Atomic number, **899**
Atomic spectra, 870
Atwood's machine, 480–481*inv*, 483–484*MP*
Atwood, George, 479, 480
Auto safety, 203
Average acceleration, **64**, 66*CO*
Average force and impulse, 201–202*MP*
Average speed, 17*MP*
Average velocity, 101
Back *emf*, 794, **795**
Balancing act, 453*ML*
Balmer series, **871**
 electron, 874–875
Balmer's formula, 872
Balmer, Johann Jakob, 871–872
Battery, **689**
Beat frequency, **429**
 SI unit, 430
Beats, **429**
Becquerel (unit for decay), 913
Becquerel, Antoine Henri, 805, 906, 907, 913
Bernoulli, Daniel, 635
Beta decay, 908, 909
 momentum, 909
Beta particles, **906**, 908, 910
Beta rays, 867
Big Dipper, 753
Billiard ball model of atom, 866
Black Box, 4*ML*
Black holes, 629, 650
Blackbody, **840**
 radiation, 841–843, 870
Bohr radius, 873
Bohr, Neils Henrik David, 864, 870, 872, 898
Boltzmann, Ludwig, 842
Brackett series, 875
Bragg, Sir Lawrence, 860
Brahe, Tycho, 574, 575
Brunhes, Bernard, 767
Bunsen, Robert, 840
Buridan, Jean, 127
Cable, 476
 tension, 477–478*MP*, 498–500*MP*
Canadian Standards Association (CSA), 323
CANDU reactor, 920, 931
 heavy water, 931
Car safety, 325
Cartesian coordinate system, 33
Cathode, **689**
Cathode rays, 866, 870
Cavendish, Henry, 584, 631, 635
Centre of mass, **493**
Centre-seeking acceleration, 553
Centrifugal force *versus* centripetal force, 559
Centripetal acceleration, 551–553
 SI unit, 553
Centripetal force, **554**
 air friction, 563
 banked curves, 563, 565–566*MP*

- centrifugal force, 559
- friction, 563, 564
- horizontal plane, 555–559*MP*
- inverse square law, 632, 633
- lift force, 563
- SI unit, 555
- vertical plane, 555–558*MP*
- Cerenkov radiation, **395**, 895
- Cerenkov, Pavel, 895
- Chadwick, James, 898
- Chalk River Nuclear Plant, 896
- Charge, 729*CO*
 - electric current, 695–696*MP*
- Chemical potential energy, 247, 278
- Chemical symbol, **899**
- Chisov, I.M., 187
- Chronometer, 343
- Circuit elements, **702**
- Circular motion, 530
- Clarke orbits, 589
- Clarke, Arthur C., 589
- Classical mechanics, **154**
- Classical physics, **840**
- Closed air column, **417**
 - resonance, 418, 419–420*MP*
- Closed circuit, **701**
- Closed system, **301**
- Cobalt-60, 896
- Coefficient of friction, 469
- Coefficient of kinetic friction on inclined plane, 192*QL*
- Coefficient of static friction, 496–498*MP*
 - inclined plane, 192*QL*
- Coherent, **434**
- Coherent light, 413
- Collisions, 503, 854
 - classifying, 320–321*MP*, 514–515*MP*
 - egg drop, 326*QL*
 - elastic, 310, 318–319*inv*, 513, 514–515*MP*, 517–519
 - electrons, 854
 - energy, 513
 - energy conservation, 521–524*MP*
 - examining, 318–319*inv*
 - inelastic, 310, 318–319*inv*, 513, 514–515*MP*, 520
 - momentum, 313–314*MP*, 513, 516*inv*
 - one dimensional, 313
 - photons, 854
 - safety, 323
 - safety poster, 326*QL*
 - technological implications, 323–326
 - two dimensional, 516*inv*
- Commutator, **779**
- Component wave, **355**
- Components, **456**
 - vectors, 464–466*MP*
- Compton effect, **854**
- Compton, Arthur, 854
- Conductors, 686, **688**
 - magnetic field, 757–759*inv*
 - potential differences, 687*inv*
 - resistance, 706
 - voltage, 687*inv*
- Conservation of mechanical energy, 309*CO*
- Conservation of momentum, 310, **311**
 - law of, 312
 - SI units, 312
- Conservation of total energy, 309*CO*
 - SI units, 303
- Conservative force, **281**
- Constant acceleration, **64**, 66*CO*
- Constructive interference, **355**, 433, 434–438
- Consumption of energy, 272–273
- Contact force, **130**
- Control rods, **928**
- Coordinate system, **90**
 - inclined planes, 189
 - motion, 33
 - projectile, 534–536*MP*
- Copernicus, Nicholas, 8, 574
- Coulomb, 694
- Coulomb constant, **636**, 813
- Coulomb force on proton, 900
- Coulomb's experiment, 635
- Coulomb's law, 631, **636**
 - applying, 637–638*MP*
 - graphical analysis, 638*QL*
 - multiple charges, 639–640*MP*
 - SI unit, 636
- Coulomb, Charles Augustin, 631, 635, 753
- Count Runford, 304
- Counterweight, **478**
- Crab Nebula, 887
- Crest, **345**
- Crick, Francis, 369
- Critical (nuclear reactions), **926**
- Critical angle, **408**
 - determining, 409–410*MP*, 414*QL*
- Crumple zones, 204
- Curie, Marie, 907
- Curie, Pierre, 907
- Current, **694**, 729*CO*, 735
- Cycle, **338**
- Dalton, John, 866
- Daughter nucleus, **907**
- Davison, Clinton J., 860
- DC electric motor, 778–779
- DC generator, **791**
- de Broglie wavelength, **857**
- de Broglie, Louis, 857
- Decay series, 911
- Deceleration, 62
- Destructive interference, **356**, 433, 434–438
- Deuterium, 902
- Diffraction, **367**, **377**
 - light, 432, 433
 - sound, 432, 432*QL*
- Diffuse reflection, **383**
- Dilated time, **818**
 - SI unit, 818
- Dirac, Paul Adrien Maurice, 879
- Direction, 35
 - acceleration vector, 61–63
 - velocity, 51–53
- Displacement, **35**, **36**, 37, 38, 76, 84–89*MP*
 - work, 219
- Displacement antinode, **417**
- Displacement node, **417**
- Distance, 35, 38
 - work, 219
- Domains, **754**
- Doppler effect, **392**
- Doppler radar, 671
- Doppler shifts, 381
- Double-slit experiment, 434, 439*inv*
- Dragila, Stacy, 299
- Duke, Charles, 177
- Dynamics, **128**
 - acceleration, 166–167*MP*
 - kinematics, 165
 - vectors, 463–464
 - velocity, 165–167*MP*
- Earthquakes, 346
- Echolocation, **381**

- Eddy current, **795**
- Efficiency, 216, 262, **268**
 calculating, 269–270*MP*
 energy, 272–273*inv*
 SI units, 268
- Effluvia, 644
- Einstein, Albert, 6, 9, 105, 154, 156, 382, 586, 650, 698, 806, 813, 814, 844, 847, 848, 870
- Elastic, **254**
- Elastic collisions, **310**, 318–319*inv*, **513**, 517–519
 classifying, 320–321*MP*
- Elastic potential energy, **254**, 255*inv*, 280, 290–291, 292–295*MP*, 309*CO*, 606–608*MP*
 Hooke's law, 258
 SI units, 259
 spring, 260–261*MP*, 599*inv*
 work, 258–259
- Electric charge
 electron, 699–700*MP*
 elementary charge, 699–700*MP*
 magnetic poles, 755
- Electric circuit, 686, 701–702
 closed, 701
 complex, 725
 open, 701
 parallel, 703, 715
 symbols for, 701
- Electric current, 729*CO*, 734, 735
 charge, 695–696*MP*
 electron flow, 697
 elementary charge, 698
 induced, 784–786*inv*
 magnetic field, 783*inv*
 magnetic fields, 769, 781
 potential difference, 709–711*inv*
 resistance, 709–711*inv*
 SI unit, 694
- Electric energy, 630, 686
- Electric field, **644**
- Electric field intensity, **644**
 calculating, 645–646*MP*
 charged sphere, 652–655*MP*
 definition, 645
 point charge, near a, 652
 SI unit, 645
- Electric field lines, **658**
- Electric fluid, 690
- Electric force, nature of, 639
- Electric permittivity, 813
- Electric potential difference, **672**, 688, 735
 calculating, 673–677*MP*
 energy, 691–692*MP*
 point charge, 672
 SI unit, 673, 691
- Electric potential energy, 247, 667–669, 729*CO*, 735
 computing, 670*MP*
- Electric power
 alternative equations, 741–742
 calculating, 736–737*MP*
 energy, 734
 resistance, 742–744*MP*
 SI unit, 736
 wrong source, 738–740*MP*
- Electrodes, **689**
- Electrolyte, **689**
- Electromagnet design, 766
- Electromagnetic field, generating, 807*QL*
- Electromagnetic force, nature of, 641–642
- Electromagnetic induction, **782**
 generators, 781
- Electromagnetic radiation, 887
- Electromagnetic spectrum, 380
- Electromagnetic waves, 374, 379–380, 813
- Electromagnetism, **756**
- Electromagnets, 750, 766
- Electromotive force, **729**, 788–789
 back, 794, 795
 terminal voltage, 730–731*MP*
- Electron, 690, 805, 838, 846, 847, 854, 866, 871–872
 Balmer series, 874–875
 Bohr radius, 873
 collisions, 854
 electric charge, 699–700*MP*
 elementary charge, 698
 energy level, 874
 orbit, 878, 879, 881
 orbits, 871–876
 positive, 909
 secondary emission, 911
- Electron flow, **697**
 electric current, 697
- Electron volt, **850**
- Electroscope, discharging, 839*inv*
- Electrostatic force, **635**
 inverse square law, 635, 636
- nature of, 634*inv*, 641–642
- Elementary charge, **698**
 electric charge, 699–700*MP*
 electric current, 698
 electron, 698
 proton, 698
 SI unit, 698
- Elements, identifying, 865*inv*
- Embouchure, 421
- Emission spectra, 865*inv*
- Empedocles, 7
- Empirical equation, **843**
- Energy, 35, 278
 collisions, 513
 conservation of, 285–286*MP*
 conservation of, falling mass, 288*inv*
 consumption, 272–273*inv*, 744, 745–746*MP*
 efficiency, 272–273*inv*
 electric potential difference, 691–692*MP*
 electric power, 734
 gravitational. *See* Gravitational energy
 kinetic. *See* Kinetic energy
 law of conservation of, 278, 302
 mass, 828
 mechanical. *See* Mechanical energy
 nuclear reactions, 923–924*MP*
 pendulum, 280
 potential. *See* Potential energy
 rest, 830
 sources of, 217*ML*
 spring, 280, 292*QL*
 springs, 279*ML*
 total, 830
 transformation, 282–284
 transformation of, pendulum, 289*inv*
 transformations, 280
 transforming, 267*inv*
 types of, 218
 wave, 336, 344
 work, 218
- Energy levels, 871–872
- ENIAC, 532
- Enriched (uranium), **928**
- Equations, building, 80–82
- Equations of motion, **76**, 175*CO*
 applying, 84–89*MP*
- Equilibrium, 175*CO*

- motion, 490
 - vectors, 467*QL*
- Equipotential surface, **679**, 680
- Equivalent resistance, **716**
- Ether, 434, 811
- Experimentation, 20
- Explosions, 503, 510
 - momentum, 511–513*MP*
- External force, **301**
- External forces, **482**
- Faraday, Michael, 643, 781, 782
- Fermi, Enrico, 926
- Feynman, Richard, 7
- Fictitious forces, **157**
- Field intensity
 - defining, 644
 - electric, 644
 - electrical. *See* Electrical
 - field intensity
 - gravitational. *See*
 - Gravitational field intensity
- Field lines, 658
- Fields, 630, **643**
 - describing, 643
 - point source, 651
 - potential energy, 662
- First law of thermodynamics, 302
- Fission. *See* Nuclear fission
- Fixed-length air columns, 421
 - harmonics, 425–427*MP*
 - resonance, 423
- Fluid theory, 690
- Force, 124, **128**, 630
 - acceleration, 164*inv*
 - application of, 453
 - applied, 143*MP*, 468
 - common, 130–146
 - connected objects, 180–182*MP*
 - conservative, 281
 - electromagnetic. *See*
 - Electromagnetic force
 - electrostatic. *See* Electrostatic
 - force
 - external, 175*CO*, 301, 482
 - fictitious, 157
 - friction(al), 140, 142*MP*, 171*QL*, 468, 469, 471–474*MP*
 - gravitational, 468, 469
 - interaction of objects, 134*inv*
 - internal, 301, 482
 - kinetic friction, 471–474*MP*
 - linear restoring, 615
 - motion, 453*ML*
 - net, 168
 - non-conservative, 281
 - normal, 140, 142*MP*, 143*MP*, 468
 - reaction, 177
 - spring, 255*inv*
 - static friction, 471–474*MP*
 - two dimensions, 172–173*MP*
 - vector, 174*QL*
 - wave, 344
 - work, 219, 222, 225–226, 230*QL*, 231
 - working with three, 169–170*MP*
- Foucault pendulum, 340
- Foucault, Jean-Bernard-Leon, 340, 391
- Frame of reference, **30**, 159*CO*
 - accelerating, 157
 - inertia, 156–157
 - motion, 33
- Framing a problem, **13**
- Franklin, Benjamin, 690
- Franklin, Rosalind, 369
- Free body diagram, **145**, 168
- Free fall, **186**
- Frequency, **20**, **339**
 - beat, 429
 - finding unknown, 430–431*MP*
 - fundamental, 415
 - natural, 342
 - period, 340–341*MP*
 - SI unit, 339
 - universal wave equation, 346
 - wave, 345, 347–349*MP*
- Frequency modulation, 807
- Frequency of a wave, **345**
- Friction, 137, 145*CO*
 - centripetal force, 563, 564
 - coefficient of, 139, 142*MP*, 469
 - force, 140, 142*MP*, 171*QL*, 471–474*MP*
 - forces, 469
 - kinetic, 145*CO*
 - normal, 469
 - static, 145*CO*
 - surface, 145*CO*
 - working with, 141–144*MP*
- Fringe, **436**
- Fundamental frequency, **358**, **415**
- Fundamental mode of vibration, **358**
- Fusion reactor, 932
- Fusion. *See* Nuclear fusion
- Galilei, Galileo, 8, 68, 127, 132, 133, 137, 154, 343, 610, 814
- Galle, J.G., 594
- Galvanometer, 781
- Gamma, **823**
- Gamma decay, 910
- Gamma knife, 896
- Gamma radiation, 910
 - medical uses, 915–917
- Gamma rays, **906**
- Geiger counter, 897
- Geiger, Hans, 867
- General theory of relativity, 156, 806
- Generator effect, **782**
 - right hand rules, 787–788
- Generators, 750, 782
 - electromagnetic induction, 781
- Geostationary orbit, 589
 - altitude and velocity, 589–591*MP*
- Geosynchronous satellite, 104, 158
- Germer, Lester H., 860
- Gilbert, William, 644
- Goddard, Robert, 178
- Goodchild, Sara, 693
- GPS receivers, 156
- Grand Unified Theory (GUT), 11
- Gravitational field intensity, **647**
 - calculating, 648*MP*
 - Earth, near, 657*MP*
 - magnitude, 649
 - mapping, 649
 - point mass, 656
 - SI unit, 647, 656
- Gravitational field lines, **660**
- Gravitational force, 130
 - nature of, 639, 641–642
- Gravitational mass, **128**
- Gravitational potential
 - difference, **690**
- Gravitational potential energy, **247**, 248, 249, 278, 280, 282–284, 309*CO*, 664–666
 - calculating, 249–250*MP*
 - SI unit, 249, 665
 - work, 251, 666
- Gravity, 530
 - acceleration due to, 68–69*inv*, 82, 83*inv*, 132, 248, 479, 612*QL*
 - inverse square law, 632, 633
 - investigating, 266–267*inv*

- Kepler's laws, 580, 583
 - nature of, 641–642
 - projectile, 533
- Gravity wave, 650
- Gray, Stephen, 688
- Ground, 688
- Ground state, **884**
- Half-life, 897, 912
 - radioactivity, 897*ML*
- Halley, Edmond, 577
- Hang time, 544, 547
- Harmonic motion, 598
- Harmonics, **415**
 - fixed-length air columns, 425–427*MP*
- Harrison, John, 343
- Heat, mechanical equivalence of, 304
- Heavy water, 931
- Helium, 864, 901, 902
- Hertz, **339**
- Hertz, Heinrich, 339, 805, 844
- Hooke's law, **256**, 600
 - applying, 257*MP*
 - elastic potential energy, 258
 - SI unit, 256
- Hooke, Robert, 259, 610
- Horsepower, 263, 267*inv*
- Humour, 644
- Huygens, Christian, 236, 434, 610, 840
- Hydrogen, 901, 902
- Ideal interactions, 139
- Impetus, 127
- Impulse, **198**, 199–200*MP*, 503
 - auto safety, 203
 - average force, 201–202*MP*
 - crumple zones, 204
 - SI unit, 199
- Impulse-momentum theorem, 200, **201**, 310
 - SI units, 201
- In phase, **340**
- Inclined plane, 188, 192–194*MP*
 - coefficient of kinetic friction, 192*QL*
 - coefficient of static friction, 192*QL*
 - coordinate system, 189
 - kinetic friction, 192*QL*
 - sliding down, 189–191*MP*
 - static friction, 192*QL*
- Index of refraction, **396**, 399–400*MP*
 - SI unit, 396
- Induced current, 784–786*inv*
- Industrial Revolution, 263
- Inelastic collisions, **310**, 318–319*inv*, **513**, 520
- Inertia, **126**
 - frame of reference, 156–157
 - Galileo's perception of, 127
 - law of, 155, 531*ML*
- Inertial frame of reference, **156**
- Inertial mass, **128**
- Inquiry, 20
- Instantaneous acceleration, **64**, 66*CO*
- Instantaneous velocity, **54**, 58*CO*
 - determining, 55–57*MP*
 - tangent, 55
- Insulator, **688**, 706
- Interference
 - hearing, 428–430
 - locating, 428*QL*
 - sound, 415
 - wave, 354–361, 415
- Interference pattern, 369
- Interferometer, **808**
 - Michelson's, 811–812
- Internal frame of reference, 159*CO*
- Internal force, **301**, **482**
- Internal resistance, 725, **729**
 - dry cell, of a, 732*inv*
- International space station, 662
- Inverse square law, **632**, 635
 - electrostatic force, 635, 636
 - gravity, 632
- Ionizing radiation, **908**
- Isolated system, **301**
- Isotopes, **901**
 - radioactive, 907
- Jeans, Sir James Hopwood, 842
- Joe, Dr. Paul, 671
- Johns, Dr. Harold E., 896
- Joule, 219, **220**
 - SI unit, 219
- Joule, James Prescott, 219, 303, 304
- Jupiter, 8
- Kepler's empirical equations, 573*QL*
- Kepler's laws, **575**, 576
 - gravity, 580, 583
- Kepler, Johannes, 510, 573, 575
- Kilowatt-hour, **744**
- Kinematic equations, 76, 152, 175*CO*
 - projectile, 532
- Kinematics, **128**, 175*CO*
 - dynamics, 165
- Kinesiologists, 31
- Kinetic energy, **218**, 236, 278, 280, 282–284, 290–291, 292–295*MP*, 309*CO*
 - calculating, 237–238*MP*
 - classical, 834
 - photoelectrons, 846
 - relativistic, 831–832*MP*, 834
 - SI unit, 237
 - stopping potential, 851–852*MP*
 - threshold frequency, 851–852*MP*
 - work, 239
- Kinetic friction, 145*CO*
 - force, 471–474*MP*
 - inclined plane, 192*QL*
- Kinetic frictional force, **137**
- Kirchhoff, Gustav, 840, 870
- Laser, 9
 - atom, 885
- Law of conservation of energy, 278, 302
- Law of conservation of mass, 832–833*MP*
- Law of conservation of mechanical energy, 292–295*MP*
- Law of conservation of momentum, 504
 - applying, 505–508*MP*
- Law of conservation of total energy, 305–307*MP*
- Law of inertia, 155, 531*ML*
- Law of reflection, **383**
- Law of universal gravitation, **578**
- laws of motion, 480–481*inv*
- Le Verrier, Urbain John Joseph, 594
- Lenard, Philipp, 805, 845, 846
- Length contraction, 819–820, **821**
 - SI unit, 821
- Lenz's law, 789, **792**, 793
- Lenz, Heinrich, 792

- Lever arm, **492**
- Liebniz, Gottfried Wilhelm, 237
- Lift-off, 662
centripetal force, 563
- Light
approximate wavelength of, 438
coherent, 413, 434
diffraction, 432, 433
index of refraction, 396
linear propagation of, 382
principle of reversibility, 406
ray, 382
reflection, 382
refraction, 395–396
refractive index, 396
speed, 391, 395, 808
total internal reflection, 407
- Light meters, 850
- Light ray, **382**
reversibility, 406
- Linear propagation of light, **382**
- Loads, 67, **702**
- Lockyer, Sir Joseph, 864
- Lodestone, 752
- Longitudinal waves, **346**
sound waves, 377
vibration, 377
- Lord Rayleigh, 842
- Lorentz-Fitzgerald contraction, **812**
- Loudness, **378**
- Lowell, Percival, 594
- Luminiferous ether, 805
- Lyman series, 875
- Mach number, **391**
- MAGLEV trains, 767
- Magnetic damping, **795**
- Magnetic dipole, 660, **753**
- Magnetic field
conductor, 757–759*inv*
current-carrying coil, 760, 761
electric current, 781, 783*inv*
electric currents, 769
helix, around, 762*inv*, 763*inv*
motor force, 776
solenoid, around, 764–765
- Magnetic field intensity, **651**
- Magnetic field lines, **660**
- Magnetic field strength
calculating, 777*MP*
SI unit, 776
- Magnetic flux, 660
- Magnetic force, nature of, 639,
641–642
- Magnetic iron ore, 752
- Magnetic monopole, 641, 651,
660, 756
- Magnetic permeability, 813
- Magnetic poles, 752
electric charges, 755
- Magnetic quantum number, **882**
- Magnetic resonance imaging, 767
- Magnetite, 752
- Magnets, 750
domains, 754
forces, 751*ML*
interactions, 751*ML*
motors, 768
permanent, 755
temporary, 754
- Magnitude, 35
- Mass, 35, 131, 133
apparent weight, 184
calculations, 135–136*MP*
energy, 828
photons, 855
planets, 584
Sun, 584, 585*MP*
- Mass defect, 902, **903**
- Matter waves, 857, 858–859*MP*,
860, 877
- Mattingly, Thomas, 177
- Maximum height of trajectory, 546
- Maxwell, James Clerk, 379, 813,
840
- Mayer, Julius Robert, 304
- Measurement, 20
- Mechanical, **280**
- Mechanical energy, **218**, 280
conservation of, 281, 282,
285–286*MP*, 309*CO*
law of conservation of, 282,
292–295*MP*
SI units, 282
thermal energy, 304*inv*
total, 296, 297–298*MP*
- Mechanical kinetic energy, 309*CO*
- Mechanical waves, **344**
- Mechanics, **128**
- Medium, **344**
- Metastable state of atom, 885
- Metre, 37
- Michelson's interferometer, 811
- Michelson, Albert A., 391, 434,
808
- Michelson-Morley experiment,
808, 813
- Microgravity, **592**
simulating, 593
- Milky Way, 8
- Millikan, Robert Andrews, 698,
848
- Mirror and reflection, 375*ML*
- Mobile, building, 502*QL*
- Model problems, 16
- Models, 4*ML*, **11**
- Moderator, **927**
- Momentum, **196**, 197*MP*, 503
angular, 509–510, 878
angular, quantum number, 881
applying, 505–508*MP*
beta decay, 909
collisions, 313–314*MP*, 513,
516*inv*
conservation of, 310
definition, 504
explosions, 511–513*MP*
law of conservation of, 504
Newton's laws, 195–205
Newton's third law, 310–313
photons, 855, 856
photons, calculating,
856–857*MP*
SI unit, 196, 504
technological implications,
323–326
- Moon, 7
- Morley, Edward William, 434, 808
- Motion, 392
analyzing, 74–112
angular, 490
Aristotle, 7
connected objects, 482,
483–484*MP*, 486–488*MP*
coordinate system, 33
describing, 28–68
equations of, 76, 454
equilibrium, 490
force, 453*ML*
frame of reference, 33
graphing, 65*QL*
harmonic. *See* Harmonic
motion
illustrating, 31–32
laws of, 480–481*inv*
linear restoring force, 615
mathematical models, 76–89
Newton's laws of. *See* Newton's
laws of motion
periodic. *See* Periodic motion
picturing, 30–33
planets, 587

- predicting, 125*ML*
- projectile, 538*inv*
- relative, 33
- rotational, 490
- satellites, 587
- simple harmonic. *See* Simple harmonic motion
- torque, 490
- translational, 490
- two dimensional, 531*ML*
- uniform, 454–454
- uniformly accelerated, 454–455
- variables, 29*ML*
- vector, 454, 455
- Motor effect, 771–772*inv*
- Motor force
 - magnetic field, 776
 - quantitative analysis, 775–776
 - SI unit, 776
- Motors, 750
 - magnets, 768
- Moussavi, Dr. Zahra, 780
- MRI technology, 786
- Mu meson, 822
- Multiple images, 5*ML*
- Muon, 822
- Music, 358, **415**
- N-pole, **752**
- Nanotechnology, 2, 7
- Nanotube, 2
- Natural frequency, **342, 358**
 - sound, 378
 - spring, 342*QL*
- Negative acceleration, 62
- Negative work, 233
 - doing, 233–234*MP*
- Neptune, 594
- Nerve impulses, 6
- Net force, **145, 168**
- Neutrino, **909**
- Neutron, **898**
 - thermal, 927
- Neutron star, 887
- Newton's first law, 154, 155
- Newton's law of universal gravitation, 130, 574, **578, 583, 586, 587**
- Newton's laws, 67, 152
 - momentum, 195–205
- Newton's laws of motion, 123, 159*CO*
- Newton's mountain, 588
- Newton's second law, 168, 175*CO, 470*
 - applying, 162–163*MP, 168*
 - motion, 160, 161
 - SI unit, 162
- Newton's third law, 177, 178
 - applying, 179
 - connected objects, 180–182*MP*
 - momentum, 310–313
- Newton, Sir Isaac, 133, 154, 198, 259, 379, 382, 576, 577, 632, 814
- Newtonian mechanics, **154**
- Nodal line, **370**
- Nodes, **356**
- Noise, **415**
- Non-conservative force, **281**
- Non-contact force, **130**
- Non-inertial frame of reference, **157, 159CO**
- Non-linear, **712**
- Non-ohmic, **712**
- Non-uniform acceleration, **64, 66CO**
- Non-uniform motion, **47, 58CO**
- Normal force, **140**
- Normal line, **364**
- Noronha, Jennifer, 930
- North pole, **752**
- North Star, 752
- North-seeking pole, **752**
- Nuclear binding force, 902, 903–904*MP*
- Nuclear chain reactions, 926
- Nuclear energy, 920
- Nuclear fission, **922**
 - control rods, 928
 - coolants, 928
 - enriched uranium, 928
 - moderator, 927
 - neutron, 927
 - thermal neutron, 927
- Nuclear fusion, **923**
- Nuclear model, **868**
- Nuclear power, 920
 - survey and discussion, 921*QL*
- Nuclear reactions, 915
 - energy, 923–924*MP*
- Nuclear waste, 929
- Nucleon number, **899**
- Nucleons, **898, 900**
- Nucleus, 868, 896
 - daughter, 907
 - estimating size of, 869*QL*
- parent, 907
- radioactivity, 896
- stability, 900
- Nuclides, **901**
- Observation, **11**
- Oersted, Hans Christian, 755
- Ohm's law, 789
 - applying, 713–714*MP*
 - SI unit, 712
- Ohm, George Simon, 712
- Open air columns, 422
 - resonance, 418
- Open circuit, **701**
- Open system, **301**
- Optical fibres, 412–413
- Optically dense, **397**
- Orbit(s), 30
 - electron, 871–876, 878, 879, 881
- Orbital quantum number, **880, 881**
- Orbital speed of planets, 581–582*inv*
- Orbitals, **879**
- Organizing data, 14, 15
 - diagrams, 15
 - temporal diagrams, 15
 - text, 15
 - tree diagrams, 15
- Oscillation, 20
 - graphing, 620*QL*
 - pendulum, 21*inv, 22inv*
- Out of phase, **340**
- Overtones, **358**
- P-wave, 346
- Parabola, **537**
 - football kickoff, 547–549*MP*
 - symmetrical, 547
 - trajectory, 539–543*MP*
- Parallel, **703, 715**
 - electric circuit, 715
 - resistors, 720–722, 722–724*MP, 726–728MP*
- Parallel circuit and resistors, 720–722
- Parent nucleus, **907**
- Particle accelerators, 767
- Particle nature of light, 840
- Paschen series, 875
- Pauli exclusion principle, **882, 883, 884**
- Pauli, Wolfgang, 882, 909

- Pendulum, 280
 energy, 280
 energy transformation, 289*inv*
 Foucault, 340
 oscillation, 21*inv*, 22*inv*
 period, 21*inv*, 22*inv*, 610–611, 612, 613–614*MP*
- Pendulum clocks, 610
- Percent deviation, **22**
- Percent difference, **21**
- Perfect radiator, 840
- Period, **20**, **338**
 frequency, 340–341*MP*
 pendulum, 21*inv*, 22*inv*, 610–612, 613–614*MP*
 SI unit, 339
- Period of mass on a spring, 601–605, 606–608*MP*, 609*inv*
 SI unit, 605
- Periodic motion, **338**, **600**
- Permanent magnets, **755**
- Perturbations, **594**
- Perturbing orbits, 593–594
- Pfund series, 875
- Phase difference, **340**
- Photoelectric effect, 805, 806, 844, **845**, 846, 847, 848, 870
 SI unit, 849
- Photoelectrons and kinetic energy, 846
- Photons, 806, **847**, 854
 collisions, 854
 mass, 855
 momentum, 855, 856
- Physics, **6**
- Physiotherapist, 336
- Pitch, **378**
- Pivot point, **490**
- Planck's constant, 844, 848, 849
- Planck, Max, 382, 843, 844, 870
- Plane mirrors, **5ML**
- Planets, 7
 mass, 584
 motion, 587
 orbital speed, 581–582*inv*
 speed, 581–582*inv*
- Pluto, 594
- Point charge and electric potential difference, 672
- Point source and fields, 651
- Polaris, 752
- Pole vaulting, 299
- Poseidon's powerhouse, 368
- Position, 31, **35**
 elementary charge, 698
- Position vectors, 36
- Position-time graph, 47, 48, 50*QL*
- Positive electron, 909
- Positive work, 233
 doing, 233–234*MP*
- Positron, **909**
- Potential difference, 689, **690**, 729*CO*, 734, 735
 conductors, 687*inv*
 electric, 729*CO*
 electric current, 709–711*inv*
 resistance, 709–711*inv*
- Potential energy, **218**, 247
 fields, 662
 work energy theorem, 247
- Power, 216, **262**, 729*CO*
 calculating, 263–264*MP*
 generating, 267*inv*
 investigating, 266–267*inv*
 SI units, 262
- Power output, 734, 735
- Power rating, 737, 738
- Power supply, **702**
- Priestly, Joseph, 635
- Primary coolant, **928**
- Principal quantum number, **874**
- Principle of reversibility of light, **406**
- Primary wave, 346
- Probeware, 18
- Problem-solving, 13
- Projectile, 530, **532**
 coordinate system, 534–536*MP*
 football kickoff, 547–549*MP*
 gravity, 533
 horizontal launch of, 533, 534–536*MP*
 kinematic equations, 532
 launched at an angle, 537
 maximum range, 544*QL*
 motion, 538*inv*
 motion components, 538*inv*
 parabolic trajectory, 539–543*MP*
 range, 532
 spring, 599*inv*
 trajectory, 532, 539–543*MP*
 uniformly accelerated motion, 532
- Proper length, **821**
- Proper time, **817**
- Proton, **898**, 900
 Coulomb force, 900
- Ptolemy, 8, 574
- Pulley, 476
- Pulsars, 887
- Pythagorean theorem, 109, 455
- Qualitative, **11**
- Quality, **378**
- Quantitative, **11**
- Quantized, **843**
- Quantum, **843**
- Quantum mechanics, **154**
- Quantum number, 880
- Quantum theory, 864
- Quinn, Bonnie, 550
- Radar, 671
- Radiation, 379–380
 blackbody, 841–843
 gamma, 910
 ionizing, 908
 medical uses, 915–917
- Radioactive decay, 914–915*MP*
 rate of, 912
 SI unit, 913
- Radioactive emissions and penetrating ability, 897*ML*
- Radioactive isotopes, **907**
 applications of, 916–917
 medical uses, 915, 916–917
 radioactive tracers, 917
 smoke detectors, 917
- Radioactive materials, **906**
- Radioactivity, 805, 906
 half-life, 897*ML*
 nucleus, 896
 penetrating ability, 897*ML*
- Radioisotopes, 907
- Radiometer, **5ML**
- Reaction forces, 177
- Range, **532**
 trajectory, 546
- Rarefaction, **377**
- Rate of change of position, 41
- Ray (of light), **363**, 382
- Ray model, **382**
- Recoil, **315**
 canoe, of a, 316–317*MP*
- Rectified DC current, **791**
- Reflection
 critical angle, 408
 diffuse, 383
 law of, 383
 light, 382

- mirror, 375*ML*
- regular, 383
- sound waves, 381
- specular, 383
- total internal, 407, 408*QL*
- wave, 351–352, 366
- Refraction, **367**, 404–405*MP*
 - angle of, 398
 - index of, 396
 - light, 395–396
 - sound, 407
 - wave, 366
 - wave model of light, 405–406
- Regular reflection, **383**
- Relative time, 818–819*MP*
- Relative velocity, **104**,
 - 105–110*MP*, 111–112*inv*
- Relativistic lengths, 823–824*MP*
- Relativistic mass, **828**, 829–830*MP*
 - SI unit, 828
- Relativistic speeds, **823**
- Resistance, 686, 704, 729*CO*,
 - 734, 735
 - conductor, 706
 - electric, 729*CO*
 - electric current, 709–711*inv*
 - electric power, 742–744*MP*
 - equivalent, 716
 - factors affecting, 704–705, 706–707
 - internal, 725
 - potential difference, 709–711*inv*
 - resistivity, 705
 - series circuit, 716–717, 718–719*MP*
 - SI unit, 706
 - using, 707–708*MP*
- Resistivity, **705**
 - SI unit, 706
 - using, 707–708*MP*
- Resistors
 - parallel, 720–722, 722–724*MP*, 726–728*MP*
 - parallel circuit, 720–722
- Resolved, **456**
- Resonance, **342**, 343, 358, 415
 - closed air column, 416*QL*, 417, 418, 419–420*MP*
 - fixed-length air columns, 421, 423
 - open air column, 418, 419
- Resonance lengths, **417**
- Rest energy, **830**
- Rest mass, **828**
- Rest position, **338**
- Restoring force, **256**
- Resultant vector, **91**
- Resultant wave, **355**
- Retroreflector, **412**
- Right-hand rule #1, **756**
- Right-hand rule #2, **765**, 794
- Right-hand rule #3, **770**
 - applying, 774
- Rocket motion, 59*QL*
- Rontgen, Wilhelm Conrad, 805, 854, 906
- Rotational motion, **490**
 - describing, 560
- Rotor, **778**
- Rutherford, Ernest, 867–870, 898, 906
- Rydberg constant, **871**, 872
- Rydberg, Johannes Robert, 871–872
- S-pole, **752**
- S-wave, 346
- Safety and collisions, 323
- Safety poster, 326*QL*
- Safi-Harb, Dr. Samar, 887
- Satellites and motion, 587
- Saturn, 8
- Scalars, **35**
- Schrodinger wave equation, **878**, 879, 880
- Schrodinger, Erwin, 864, 878
- Science, technology, society and the environment, 9
- Scientific inquiry, **6**, 8
- Secant, 55
- Secondary coolant, **928**
- Secondary electron emission, 911
- Secondary wave, 346
- Semiconductors, 688, 706
- Series, **715**
- Series circuit and resistance, 716–717, 718–719*MP*
- Short circuits, 757
- SI unit, 37
 - acceleration, 61
 - acceleration vector, 61–63
 - beat frequency, 430
 - centripetal acceleration, 553
 - centripetal force, 555
 - conservation of momentum, 312
 - conservation of total energy, 303
- Coulomb's law, 636
- dilated time, 818
- efficiency, 268
- elastic potential energy, 259
- electric current, 694
- electric field intensity, 645
- electric potential difference, 673, 691
- electric power, 736
- elementary charge, 698
- frequency, 339
- gravitational field intensity, 647, 656
- gravitational potential energy, 249, 665
- Hooke's law, 256
- impulse, 199
- impulse-momentum theorem, 201
- index of refraction, 396
- joule, 219
- kinetic energy, 237
- length contraction, 821
- magnetic field strength, 776
- mechanical energy, 282
- metre, 37
- momentum, 196
- motor force, 776
- newton, 133
- Newton's second law, 162
- Ohm's law, 712
- period, 339
- period of mass on a spring, 605
- photoelectric effect, 849
- power, 262
- radioactive decay, 913
- relativistic mass, 828
- resistance, 706
- resistivity, 706
- Snell's law, 401
- sound, 386
- surface friction, 141
- torque, 492
- velocity, 41
- wave equation, 350
- weight, 133
- work, 219
- Significant figures, 17
- Silicon Valley, 688
- Simple harmonic motion, 598, **600**, 609*inv*
 - acceleration, 616*inv*, 618
 - defining, 600
 - graphing, 620*QL*

- period of mass on a spring, 601
 position versus time, 617–618
 spring, 601, 602–604
 velocity, 616*inv*, 618
 Slip-ring commutator, **790**
 Snell's law, **401**, 404–405*MP*
 SI unit, 401
 verifying, 402–403*inv*
 Snell, Willebrod, 398
 Solenoid, 764–765, 781, 782
 Sonic booms, 393, 394
 Sound
 diffraction, 432, 432*QL*
 graduated cylinder, from a, 375*ML*
 interference, 415
 Mach number, 391
 natural frequency, 378
 properties of, 378
 refraction, 407
 SI unit, 386
 speed, 386, 387–389*MP*, 390*QL*
 Sound barrier, 394
 Sound spectrum, **415**
 Sound waves, 374
 diffraction, 377
 longitudinal waves, 377
 rarefaction, 377
 reflection, 381
 vibration, 376
 South pole, **752**
 South-seeking pole, **752**
 Special theory of relativity, 806, 814, 815–818
 frame of reference, 815–816
 length contraction, 819–823
 simultaneity, 815–816
 time dilation, 816–818
 Spectroscopy, 875
 Speed, 35, 41, 75*ML*
 light, 395, 808
 planets, 581–582*inv*
 sound, 386, 387–389*MP*, 390*QL*, 424*inv*
 spring, 359–360*inv*
 universal wave equation, 346
 wave, 347–349*MP*, 359–360*inv*
 waves, 385
 Speed of light, 154, 808, 824–825
 Spin down, 882
 Spin quantum number, **882**
 Spin up, 882
 Split ring commutator, **779**
 Spring, 153*ML*, 255*inv*
 elastic potential energy, 260–261*MP*, 599*inv*
 energy, 279*ML*, 280, 292*QL*
 force, 255*inv*
 natural frequency, 342*QL*
 projectile, 599*inv*
 simple harmonic motion, 601, 602–604
 Slinky, 279*ML*
 speed, 359–360*inv*
 wave speed, 359–360*inv*
 Spring constant, **256**
 Standing wave, **356**, 433, 361*QL*
 Stars, 7
 Static equilibrium, 496
 Static friction, 145*CO*
 coefficient of, 496–498*MP*
 force, 471–474*MP*
 inclined plane, 192*QL*
 Static frictional force, **137**, 138*QL*
 Stefan, Josef, 842
 Stopping potential, 848
 kinetic energy, 851–852*MP*
 threshold frequency, 851–852*MP*
 Strong nuclear force, **899**
 Strutt, John William, 842
 Subcritical (nuclear reactions), **926**
 Sun, 7
 mass, 584, 585*MP*
 Super Ball, 5*ML*
 Supercritical (nuclear reactions), **926**
 Supernova, 887
 Surface friction, 145*CO*
 SI unit, 141
 Swigert, Jack, 572
 Symmetrical parabola, 547
 Symmetrical trajectory, 545–547
 System, **301**, **482**
 Tachyons, 824–825
 Tacoma Narrows Bridge, 336, 343
 Tangent, **55**
 Tangent galvanometer, 769
 Technology and wave, 368
 Temporal diagrams, organizing data, 15
 Temporary magnet, **754**
 Tension, **476**
 cable, 477–478*MP*, 498–50*MP*
 Terminal velocity, **187**
 examples, 188
 Terminal voltage, **729**
 electromotive force, 730–731*MP*
 Tesla, 776
 Test charge, **644**
 Thales, 752
 Theory, **11**
 Theory of relativity, 105
 Theory of special relativity, 11
 Thermal energy, 304*inv*
 Thermal neutrons, **927**
 Thompson, Benjamin, 304
 Thomson, George P., 860
 Thomson, J.J., 697, 698, 805, 845, 860, 866, 867
 Thorburn, Dr. Jane, 67
 Thought experiment, 127
 Thought experiments, 153*ML*
 Threshold frequency, **849**
 kinetic energy, 851–852*MP*
 stopping potential, 851–852*MP*
 Time, 35, 39–40
 Time dilation, **816**
 Time interval, **39**, **40**
 velocity, 53*QL*
 Tombaugh, Clyde, 594
 Torque, 490, **491**, 492, **778**
 application of, 493–495*MP*
 centre of mass, 493
 SI unit, 492
 Torsion balance, 584, 631*QL*, **635**
 Total energy, **830**
 conservation of, 301, 303, 309*CO*
 law of conservation of, 305–307*MP*
 SI unit, 831
 Total internal reflection, 408*QL*, **409**
 applications of, 411–412
 Tower of Pisa, 68
 Trajectory, **532**
 football kickoff, 547–549*MP*
 maximum height, 546
 parabola, 539–543*MP*
 projectile, 539–543*MP*
 range, 546
 symmetrical, 545–547, 547
 time of flight, 545
 Translational motion, **490**
 Transmission wave, 351–352
 Transmutation, **908**
 Transverse wave, **345**

- Tree diagrams in organizing data, 15
- Tritium, 902
- Trough, **345**
- Tsunami, 336
- Tychonic system, **574**
- Tyson, Dr. Neil de Grasse, 681

- Ultrasound, 336
- Ultraviolet catastrophe, **843**
- Uniform acceleration, **64**, 66*CO*, 84–89*MP*
- Uniform circular motion, 530, 551, **552**
verifying the equation, 561–562*inv*
- Uniform motion, **47**, 58*CO*, **64**, 84–89*MP*
work, 222
- Uniformly accelerated motion, **64**, 479, 532
projectile, 532
- Unit of resistance, **712**
- Universal gravitation, 572, 577, 578
- Universal speed limit, 824–825
- Universal wave equation, 346
- Unruh, William George, 650
- Uranus, 594
- Ursa Major, 753

- Van de Graaff generator, 4*ML*
- Vector, **35**
adding, 92–93*MP*, 459, 460–462*MP*
adding graphically, 91
components, 456, 459, 460–462*MP*, 464–466*MP*
dividing, 99, 100–102*MP*
dynamics, 463–464
equilibrium, 467*QL*
force, 174*QL*
motion, 454, 455
multiplying, 99
plane, in a, 90–102
representing, 90
resolution, 456, 457–458*MP*
resultant, 91
subtracting, 94–96, 97–98*MP*, 459, 460–462*MP*
- Vector diagrams, **90**
- Velocity, 31, **35**, 41, 76
average, 41, 42–45*MP*, 47, 49, 51*CO*, 58*CO*, 59*QL*
change in, 75*ML*
changing, 77–79*MP*
constant, 47, 49, 50*QL*, 51*CO*, 58*CO*, 75*ML*
direction, 51–53
dynamics, 165–167*MP*
graphing, 65*QL*
instantaneous, 54–55, 58*CO*
position-time graph, 47, 48, 50*QL*
relative, 104–105
simple harmonic motion, 616*inv*, 618
terminal, 187, 188
time intervals, 53*QL*
- Venus, 8
- Vibration, 338
frequency, 339
longitudinal waves, 377
phase difference, 340
phase of, 338
sound waves, 376
- Virtual reality, 70
- Volt, 689, 691
- Volta, Alessandro, 688
- Voltage of conductors, 687*inv*
- Voltaic cell, **689**
- Voltaic pile, 688
- Voltmeter, **702**
- von Laue, Max, 860

- Water, waves, 365*inv*
- Watson, James, 369
- Watt, 262, 263, 736
- Watt, James, 263
- Wattage, 735
- Wave, **344**
amplitude, 347–349*MP*
angle of incidence, 364
angle of reflection, 364
antinodes, 356
boundaries, at, 351
component, 355
constructive interference, 355
crest, 345
describing, 345
destructive interference, 356
diffracting in water, 366*QL*
diffraction, 367
electromagnetic, 345
energy, 336, 344
examples, 357–358
force, 344
frequency, 345, 347–349*MP*
interference, 354–361, 415
interference pattern, 369
longitudinal, 346
nodes, 356
normal line, 364
prediction of interference, 354*QL*
probability, 879
radio, 345
reflection, 351–352, 366
refraction, 366, 367
resultant, 355
speed, 347–349*MP*, 359–360*inv*, 385
speed of, 344
spring, 337*inv*
standing, 356
superposition, 355
technology, 368
transmission, 351–352
transverse, 345
trough, 345
two dimensional, 363–370
universal wave equation, 346
water surface, on a, 365*inv*
wavelength, 345, 347–349*MP*
- Wave equation, **347**, 347–349*MP*
SI units, 350
- Wave function, **879**, 880
- Wave mechanics, 877
- Wave model of light, 405–406
- Wave of probability, 879
- Wave speed and spring, 359–360*inv*
- Wave-particle duality, 382, **861**
- Wavefronts, **363**
- Wavelength, **345**
wave, 347–349*MP*
- Web link, 18
- Weight, **131**, 133
astronaut, 579*MP*
calculations, 135–136*MP*
Si unit, 133
- Weightlessness, 187, 592
- Whitfield, Simon, 236
- Wong, Dr. George, 387
- Work, 216, **219**, 223*CO*, 224*MP*, 309*CO*, 662
constant force at an angle, 229–230
determining amount done, 220–221*MP*
displacement, 219
distance, 219

elastic potential energy,
258–259
elevator versus ramp, 232*QL*
energy, 218
force, 219, 222, 230*QL*, 231
graph, estimating from,
227–228*MP*
gravitational potential energy,
251, 666
investigating, 266–267*inv*
kinetic energy, 239
negative, 233
positive, 233
SI unit, 219
uniform motion, 222
Work energy theorem, **241**
 applying, 252–253*MP*
 potential energy, 247
Work function, **847**
Work-kinetic energy theorem,
 239, 241*QL*, 242–245*MP*

X rays, 6, 805, 854
x-y coordinate system, 36

Young, John, 177
Young, Thomas, 379, 434, 840

Zeeman effect, **877**
Zeeman, Pieter, 877